


Warmgewalste kleine U-staven

Statische waarden



Benaming	Afmetingen						Handels- gewicht	Sectie A
	h	b	t _w	t _f	r ₁	r ₂		
h × (b)	mm						kg/m	cm ²
30 × 15	30	15	4	4,5	4,5	2	1,77	2,21
30	30	33	5	7	7	3,5	4,35	5,44
40 × 20	40	20	5	5,5	5	2,5	2,93	3,66
40	40	35	5	7	7	3,5	4,97	6,21
50 × 25	50	25	5	6	6	3	3,94	4,92
50 × 25	50	25	6	6	6	3	4,33	5,41
50	50	38	5	7	7	3,5	5,70	7,12
60 × 30	60	30	6	6	6	3	5,66	6,46
60	60	40	6	7	7	3,5	6,64	8,30
65	65	42	5,5	7,5	7,5	4	7,23	9,03
70	70	40	6	6,5	6,5	3,25	6,90	8,62

Oppervlakte	Statische waarden					
	Sterke as y-y			Zwakke as z-z		
A _L	I _y	W _y	i _y	I _z	W _z	i _z
m ² /m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm
0,103	2,53	1,69	1,07	0,38	0,39	0,42
0,174	-	-	-	-	-	-
0,142	7,58	3,79	1,44	1,14	0,86	0,56
0,199	14,1	7,05	1,50	6,68	3,08	1,04
0,181	16,8	6,73	1,85	2,80	1,70	0,71
0,181	17,4	6,94	1,79	2,80	1,70	0,71
0,232	26,4	10,6	1,92	9,12	3,75	1,13
0,215	31,6	10,5	2,21	4,51	2,16	0,84
0,255	44,4	14,8	2,40	12,9	4,89	1,26
0,273	57,5	17,7	2,52	14,1	5,07	1,25
0,275	61,8	17,6	2,68	13,0	4,85	1,22

