



**GEVAL VI : PUNTBELASTING OP HET VRIJE EINDE
ANDERE ZIJDE INGEKLEMD**

1. $Q = \frac{12 W}{L}$
2. $Q = \frac{14 W}{L}$
3. $f = 0,1587 \frac{Q L^3}{I}$



**GEVAL VII : PUNTBELASTING IN HET MIDDEN
TWEZIJDEN INGEKLEMD**

1. $Q = \frac{96 W}{L}$
2. $Q = \frac{112 W}{L}$
3. $f = 0,0024 \frac{Q L^3}{I}$



Helling in % overeenkomstig α°

Helling in %	α°	Helling in %	α°	Helling in %	α°
1	0° 34' 23"	36	19° 47' 46"	71	35° 22' 29"
2	1° 8' 45"	37	20° 18' 16"	72	35° 45' 14"
3	1° 43' 6"	38	20° 48' 23"	73	36° 7' 46"
4	2° 17' 26"	39	21° 18' 21"	74	36° 30' 5"
5	2° 51' 45"	40	21° 48' 5"	75	36° 52' 12"
6	3° 26' 1"	41	22° 17' 37"	76	37° 14' 5"
7	4° 0' 15"	42	22° 46' 57"	77	37° 35' 47"
8	4° 34' 26"	43	23° 16' 4"	78	37° 57' 15"
9	5° 8' 34"	44	23° 44' 58"	79	38° 18' 31"
10	5° 42' 40"	45	24° 13' 40"	80	38° 39' 36"
11	6° 16' 38"	46	24° 42' 9"	81	39° 0' 27"
12	6° 50' 34"	47	25° 10' 25"	82	39° 21' 6"
13	7° 24' 25"	48	25° 38' 28"	83	39° 41' 34"
14	7° 58' 11"	49	26° 6' 17"	84	40° 1' 39"
15	8° 32' 51"	50	26° 33' 54"	85	40° 21' 52"
16	9° 5' 25"	51	27° 1' 18"	86	40° 41' 44"
17	9° 39' 53"	52	27° 28' 26"	87	41° 1' 24"
18	10° 12' 14"	53	27° 55' 25"	88	41° 20' 52"
19	10° 45' 29"	54	28° 22' 9"	89	41° 40' 9"
20	11° 18' 36"	55	28° 48' 39"	90	41° 59' 14"
21	11° 51' 36"	56	29° 14' 56"	91	42° 18' 8"
22	12° 24' 27"	57	29° 40' 59"	92	42° 36' 49"
23	12° 57' 10"	58	30° 6' 49"	93	42° 55' 22"
24	13° 29' 45"	59	30° 32' 26"	94	43° 13' 33"
25	14° 2' 10"	60	30° 57' 50"	95	43° 31' 52"
26	14° 34' 27"	61	31° 22' 59"	96	43° 49' 51"
27	15° 6' 34"	62	31° 47' 58"	97	44° 7' 39"
28	15° 38' 32"	63	32° 12' 39"	98	44° 25' 27"
29	16° 10' 20"	64	32° 37' 9"	99	44° 42' 43"
30	16° 41' 57"	65	33° 1' 16"	100	45°
31	17° 13' 10"	66	33° 25' 29"		
32	17° 44' 41"	67	33° 49' 20"		
33	18° 15' 46"	68	34° 12' 57"		
34	18° 46' 41"	69	34° 36' 20"		
35	19° 17' 24"	70	34° 59' 31"		

PLATEN

**Bandplaten : warm gewalst
gebeitst**

Quarto

Dikte	Handelsgewicht in kg per plaat van mm×mm in mm dikte						
mm	2000×1000	2500×1250	3000×1500	6000×1500	6000×2000	6000×2500	1 m ²
1,5	24	38	54				12
2	32	50	72				16
2,5	40	63	90		240		20
3	48	75	108	216	288	360	24
4	64	100	144	288	384	480	32
5	80	125	180	360	480	600	40
6	96	150	216	432	576	720	48
8	128	200	288	576	768	960	64
10	160	250	360	720	960	1200	80
12	192	300	432	864	1152	1440	96
15	240	375	540	1080	1440	1800	120
18	288	450	648	1296	1728	2160	144
20	320	500	720	1440	1920	2400	160
22	352	550	792	1584	2112	2640	176
25	400	625	900	1800	2400	3000	200
30	480	750	1080	2160	2880	3600	240
35	560	875	1260	2520	3360	4200	280
40	640	1000	1440	2880	3840	4800	320
45	720	1125	1620	3240	4320	5400	360
50	800	1250	1800	3600	4800	6000	400
60	960	1500	2160	4320	5760	7200	480
70	1120	1750	2520	5040	6720	8400	560
80	1280	2000	2880	5760	7680	9600	640
90	1440	2250	3240	6480	8640	10800	720
100	1600	2500	3600	7200	9600	12000	800
110	1760	2750	3960	7920	10560	13200	880
120	1920	3000	4320	8640	11520	14400	960
150	2400	3750	5400	10800	14400	18000	1200
m ²	2	3,125	4,5	9	12	15	1



PLATEN

Koud gewalst


Thermisch verzinkt (gegalvaniseerd)

Elektrolytisch verzinkt

Dikte	Handelsgewicht in kg per plaat van mm×mm in mm dikte			
	2000×1000	2500×1250	3000×1500	1 m ²
0,5	8	12,5		4
0,6	9,6	15		4,8
0,8	12,8	20	29	6,4
1,0	16	25	36	8
1,25	20	31	45	10
1,50	24	38	54	12
2	32	50	72	16
2,5	40	63	90	20
2,99	48	75	108	24
4	64	100	144	32
5	80	125	180	40
6	96	150	216	48
m ²	2	3,125	4,5	1



PLATEN



GERUITE PLATEN

Dikte	Handelsgewicht in kg per plaat van mm×mm in mm dikte					
mm	2000×1000	2500×1250	3000×1500	6000×1500	6000×2000	1 m ²
3 / 5	56	88	126	252	336	28
4 / 6	72	113	162	324	432	36
5 / 7	88	138	198	396	528	44
6 / 8	104	163	234	468	624	52
8 / 10	136	213	306	612	816	68
10 / 12	168	263	378	756	1008	84
m ²	2	3,125	4,5	9	12	1



TRANEN PLATEN

Dikte	Handelsgewicht in kg per plaat van mm×mm in mm dikte					
mm	2000×1000	2500×1250	3000×1500	6000×1500	6000×2000	1 m ²
3 / 5	52	81	117	234	312	26
4 / 6	68	106	153	306	408	34
5 / 7	84	131	189	378	504	42
6 / 8	100	156	225	450	600	50
8 / 10	132	206	297	594	792	66
10 / 12	164	256	369	738	984	82
m ²	2	3,125	4,5	9	12	1

